MEMORANDIM FOREIR FOR RELEASE 200 HOS/07: CIA-RDP84-09933R000200080006-8

Coolse lebe we re won

One

Daile I am Certaen than

over letter alid not decide

the Care, I am just as certaen

Approved For Release 2003/108/02/2 CIA-RDP84/00933R000200080006-8

ESSM 101 USE PREVIOUS

CDSG File: VIA

Approved For Release 2001/08/07 : CIA-RDP84-00933R000200080006-8

DATE: 15 JAN

memorandum

REPLY TO ATTN OF:

RDS-3

U-002/RDS-3

SUBJECT:


Intelligence Information Report (IRs)

ODP #9-213

TO: All Intelligence Information Report Recipients

Ref: RS memorandum U-136/RDS-3, dated 8 December 1978.

- 1. The test of separate allocation of IR texts and photographic enclosures described in paragraph 3 of the reference has been terminated. Your cooperation and assistance during the test has been appreciated.
- 2. Effective with receipt of this memorandum, the former procedure of 25X1A concurrent allocation of texts and photographs will be followed.





APRINGEN ART ENERGY & PUBLICATION OF TOUR TOTAL OF THE STATE OF THE ST 9338000200080006-8 **ILLEGIB** OFFICIAL ROUTING SLIP DATE INITIALS NAME AND ADDRESS TO FEE 19/9 DD/OCR 1 FFB 1979 D/OCR 2 D/ODP 3 5/4/19 4 EO DDIOOP 5 cims PREPARE REPLY DIRECT REPLY ACTION RECOMMENDATION DISPATCH APPROVAL RETURN FILE COMMENT SIGNATURE INFORMATION CONCURRENCE 7. 010-62 Remarks: You will recal<u>l I recently sent you a copy</u> Ibringing to his of a memo I sent attention an attempt by DIA to change their dissemination of intelligence reports which included photo enclosures. Whether complaint to DIA caused them to modify their plans or something else prompted them to cancel their procedure of sending the enclosures out separately from the transmittal memo, we don't know, but anyway, they have returned to their original procedure. by the way, never offered any comment or assistance on the matten FOLD HERE TO RETURN TO SENDER FROM: NAME, ADDRESS AND PHONE NO. DATE 1 1975 933R00020 98CRET O/CH/DSG Approved For Releas CONFIDENTIAL

UNCLASSIFIED

FORM NO. 237

Use previous editions

25X1A

25X1A

25X1A

25X1A

25X1A

25X1A